
Mental Health and Emotional Issues in Adolescents with Epilepsy Shannon Waid Education and Outreach Specialist Epilepsy Foundation of Michigan






Mission of the Epilepsy Foundation To lead the fight to overcome the challenges of living with epilepsy and to accelerate therapies to stop seizures, find cures, and save lives.

Purpose

How to effectively support mental and emotional Health in students with epilepsy by:

- Understanding Epilepsy and Seizures
- Understanding Mental Health and Emotion Issues
- o Supporting Positive Outcomes





How Common Is Epilepsy

- · Prevalence of active epilepsy
 - ~3 million in U.S with epilepsy (self report)1-3
 - · 65 million worldwide
 - 108,900 in Michigan (13,600 of whom are children)
 - 1.2% in U.S. have active epilepsy (1.4% of veterans4)
- Cumulative incidence of epilepsy increases with age
 - Risk of developing epilepsy increases from 1% by age 20 to 3% by age 75-80⁵
 - 1 in 10 people will have a seizure in their lifetime
- 1 in 26 people will develop epilepsy during their lifetime⁵



Epilepsy - What Is It?

- Not a single entity, but a family neurological disorders featuring recurrent, unprovoked seizures
- Defined as:
 - 2 or more unprovoked seizures > 24 hours part,
 - 1 seizure with risk of recurrent seizures, OR
 - · Diagnosis of an epilepsy syndrome
- The term "epilepsy" = "seizure disorder", but seizures are not always due to epilepsy



Most Common Causes of Epilepsy

- Genetic hereditary or de novo mutations; single-gene or multiple genes
- Structural stroke, TBI, tumor, degenerative processes (e.g Alzheimer's); congenital malformations
- Metabolic
- Immune
- Infectious encephalitis, meningitis, abscess, neurocysticercosis
- Unknown ~50% of new cases have no obvious cause



Key Points of Epilepsy

- •Epilepsy increases a child's risk of developing mental health and behavioral problems by a factor of five. Between 30 and 50 percent of children with epilepsy will develop a behavioral or mental health problem.
- The types of behavioral problems associated with epilepsy include attention deficit, hyperactivity, anxiety, depression, aggression, autism spectrum disorder, and more.
- Early identification and treatment of behavioral problems provides the best possible outcome. Experts recommend that ALL people diagnosed with epilepsy be screened for mental health and behavioral problems.



Comorbidities

- Neurologic (TBI, stroke, MS, CP, migraine, Alzheimer's)
- Somatic (osteoporosis, sleep disorders)
- Mental health (depression, anxiety, PNES)
- Cognitive disorders (memory & attention problems, intellectual disability, dementia, autism)



Common Cognitive Functions Impacted by Epilepsy

Memory – most common complaint among people with epilepsy; typically short-term memory is most affected; often exacerbated by seizures; can impact med adherence and seizure reporting

Attention – medication for ADHD can be effective and safe

Executive Function - includes working memory, planning, decision making, organization, etc.

Processing Speed – drowsiness is most common side effect of antiseizure meds

Language – word-finding difficulty most common

Learning – specific learning disabilities related to location of seizure focus

Cognitive challenges may persist in people with full seizure control or whose epilepsy has resolved (i.e. seizure free off medication for 5 years)



Seizures: What Are They? A seizure is... A temporary disturbance in the electrical activity of the brain that causes changes in movement, sensation, awareness, behavior, or other bodily functions Can be manifestation or symptom of many medical problems Provoked seizures Unprovoked seizures like depends on the area of brain involved.

Seizure Types

And How they are Classified

Focal Onset Seizures

- · Involve only part of the brain
- Common types focal aware and focal impaired awareness

Generalized Onset Seizures

- · Involve both sides of the brain
- Common types absence and tonic-clonic

· Where it starts is unknown








Functional Seizures or Psychogenic Nonepileptic Seizures (PNES)

- Behavioral events that resemble seizures
- Epileptic seizures are caused by sudden abnormal electrical discharges in the brain
- Epileptic seizures have characteristic EEG changes durin the seizure
- EEG testing shows no electrical disturbance associated with typical events during a psychogenic nonepileptic event
- PNES are caused by stressful psychological experiences or emotional trauma







Psychogenic Nonepileptic Seizures / Functional Seizures

Is PNES a Rare Disorder?

- PNES are the most common condition misdiagnosed as epilepsy
- 1 in 5 patients sent to Comprehensive Epilepsy Centers for difficult seizures is found to have PNES instead of epileptic seizures
- 40% of patients admitted to the EMU, are discharged with a diagnosis of PNES
- Patients can have both epileptic and nonepileptic seizures (approx. 5-10%)

٦.	EPILEPS\	í
B	FOUNDATION	

Difference between Epileptic Seizures & PNES

- Epileptic seizures occur whether or not anyone else is present. PNES are usually (although not always) witnessed
- Epileptic seizures are stereotypic. PNES may involve erratic, non-repetitive
- Seizure related injuries, such as broken bones, are more typical of epileptic
- Epileptic seizures tend to be brief, lasting a minute or less. The longer a spell goes on, the more possible it is to be PNES



Difference between Epileptic Seizures & PNES

- Deliberate behaviors that seem to have a purpose (e.g. moving something to avoid injury) are more likely to be PNES
- Unusual posturing, side-to-side shaking of the head, banging the head against the wall, may occur during PNES
- A cry or shriek in the middle or at the end of the seizure is more likely to be PNES, as are the motor movements that come and go, that alternately affect the left and right side of the body.



Risks & Fears Related to Seizures

- Physical injuryDifficulty breathing
- Drowning
- Prolonged Seizure Activity
- Seizure emergencies
- Early death
 - Accidents or drowning
 - Breathing or heart problems
- Sudden Unexpected Death in Epilepsy (SUDEP)
- Suicide







Seizure Triggers Sensitivity to Light


Prevalence of Learning Problems

- 50% of children with epilepsy (CWE) have school-related difficulties
- 25% of CWE have a learning disability
- Risk of learning problems 3x higher than general population
- Epilepsy Foundation of MI Needs Assessment:
 - 64% of CWE experienced school performance problems related to epilepsy









Factors that negatively mpact mental health
Genetic factors Structural changes to brain Medication side effects Seizures Stress Stress Steps disorders Cognitive impairment Unpredictability Social isolation Activity restriction Loss of independence External locus of control Stigma

CONNECTION BETWEEN EPILEPSY AND PSYCHOLOGICAL CONDITIONS

- The underlying cause(s) of depression and anxiety in people with epilepsy differ from person to person. The connection between epilepsy and mental health issues may be related to:
- · Depression which existed prior to a diagnosis of epilepsy.
- Seizure activity, particularly where seizures lead to feelings of sadness or negative thoughts.
- Depression and/or anxiety may develop after a diagnosis of epilepsy, as this can be a life changing event and lead to feelings of sadness, grief, lowered self-esteem and fear of having a seizure.
- Depression and/or anxiety may develop as a result of living with epilepsy, and can be as a result of feeling socially isolated, and/or feeling stigmatized.



Prevalence of Psychiatric Disorders in Youth with Epilepsy

Recent study¹ screened 119 children with epilepsy (ages 9-18), excluding those who had been diagnosed with depression, anxiety, or suicidality.

- · 30% screened positive for anxiety
- 40% screened positive for depression
 11% tested positive for suicidality

Recent study of 107 transition-aged adolescents with epilepsy²...

- 56% showed signs of mental illness
 Mental health was a significant predictor of QOL; more so than many seizure- or epilepsy-related variables

¹Dagar A et al. American Epilepsy Society, 2020. Abstract 913294 ²Healy et. al. Epilepsy & Behavior 2020;112.



MENTAL, BEHAVIORAL, & EMOTIONAL HEALTH ISSUES **IN EPILEPSY** Facts about student epilepsy: Those who have a seizure in class, risk decreased self-esteem and increased anxiety May perceive their disorder and its characteristics, worse then others do Risk feelings of loss of control & learned helplessness (due to seizure unpredictability) Poor self-esteem contributes to peer-rejection, avoidance of age appropriate activity, social isolation · Low Self esteem = Low Academic Performance EPILEPSY Epilepsy's Impact on Self-Sufficiency and Community **Participation** Education – school performance can be affected by cognitive impairment and psychosocial impact; missed school; inadequate training on seizure response among school personnel; reluctance to administer rescue medications; unnecessary restrictions Transportation – must be seizure-free for 6-months to drive in MI; public transportation options generally inadequate; huge impact on employability and community participation Employment – unemployment and underemployment; discrimination; transportation barriers # EPILEPSY Common Issues to Address: Stress In addition to it's central role in depression and anxiety disorders, stress is also a common seizure trigger, so effective management of stress is likely to lead not only to improved mental health but possibly reduced seizures as well.

 $\underline{\textbf{Relaxation techniques}} - \text{helpful for both chronic and acute stress}$

Mindfulness meditations
 Yoga, music, art, exercise, pleasurable activities, etc.

Progressive Muscle RelaxationDeep breathing exercisesMindfulness meditations

Practice, Practice!

ROUNDATION WATERFORMERS

In addition to memory dysfun	ction, executive function diso	rders are common in PWE
Difficulty with planning		
Lack of organization	Exacerbation of existing problems	
Difficulty with decision making	existing problems	Anxiety, Depression, Self-blame
Impulsivity	Creation of new problems	
Trouble initiating tasks		
1	†	†
psychotherapeutic interventions	psychotherapeutic interventions	psychotherapeutic interventions

Common Issues to Address: Social Challenges

A variety of social and interpersonal challenges can both contribute to anxiety and depression AND act as barriers to accessing care.

- Social Isolation fear of seizures, social anxiety, and lack of transportation
- Limited Social Skills lack off opportunity to practice social skills; comorbid neurological conditions that impact social skills (e.g. autism, TBI, ADHD, ID)
- Stigma They are embedder in our language and more deeply in our unconscious belief system
- $\mbox{\bf Discrimination}$ $\mbox{\bf Being}$ set aside, unable to make dissections on your own.
- Unpredictability Not being able to live as freely as you would like.



Strategies for Support and Available Services

Strategies for Support

Mental & Emotional Health

- Promote school and community awareness programs and support activities
- Define and maintain anti-bullying and anti-harassment, anti-discrimination policies, & enforce ADA laws. Request information from school to better understand their policies.
- Mandatory school, workplace and community education programs on epilepsy and first aide (no panic, no fear = no stigma)
- Maintain Student privacy (ask what they want, disclosure when they are ready, but wear a Med ID)
- · Assess for signs and symptoms of maladjustment and get early intervention
- Involve in activities to promote positive self-esteem & adjustment (EFM camp, Teen group, etc.)



Support & Services

- •Monitoring for changes in behavior and mood, with early intervention requesting a 504, with testing for IEP, possible neuropsychiatric independent evaluation
- Social work and school psychologist consult. Possible creation of behavioral intervention plan
 Disability Manifestation Determination review to prevent unfair discipline or
- Disability Manifestation Determination review to prevent unfair discipline of suspension
- 1:1 ParaPro request, change in placement or schooling accommodations
 Constant contact with teachers and school staff with changes in student's meds
- Constant contact with teachers and school staff with changes in student's meds and seizure activity/daily behavior log



Support & Services (Continued)

- •Mental Health develop a working collaborative relationship (someone student can talk with), convey a caring attitude, avoid negative techniques such as punishment, sarcasm, avoid criticism and create a positive learning environment. Give extra time on assignments and tests, break down assignments into smaller sections, pair up with a student willing to help. Assist with organization, setting up schedules, study habits.
- Emotional support includes encouraging student to use anxiety-reducing techniques, allow self-calming objects, breaks, encourage open door with social worker when feeling anxious. Consider classroom setup and routines. Assign student a designated "buddy" for out of class opportunities. Allow preferential grouping for field trips. Allow break pass (with buddy) as needed, create a plan for catching up after absence or illness to decrease anxiety.



Support & Services (Continued)

•Memory – develop a working collaborative relationship (buddy system, small workgroups, 1:1 aide or ParaPro), convey a caring attitude, avoid negative techniques such as punishment, sarcasm, avoid criticism and create a positive learning environment. Give extra time on assignments and tests, break down assignments into smaller sections, pair up with a student willing to help. Assist with organization, setting up schedules, study habits. Accommodations to build selfesteem, socialization skills.

 Understand and incorporate accommodations for educational performance affected by memory, organization, slower processing skills, etc. that can occur (pre-, inter-, and post-ictal seizure effects)



Support & Services – Additional Accommodations

- •Give advance notice of planned substitute, changes in routine, and time before upcoming transitions.

 *Ensure all substitute staff are aware of students IEP, 504, Seizure Action Plan
- Give instructions clearly, write down expectations.
- Provide the student with a signal if unable to clearly communicate needs without interruption to classmates.
- Let students share their story, if desired.
- •Limit attention activities or provide individual opportunities for presentations, reading aloud, etc.
- Provide extended time on tests, different location, supports as needed.
- Encourage brain breaks, talk through behavior problems and monitor student's emotional state or frustration one-on-one.



Strategies for Support: Mindfulness-based Therapies

Mindfulness-based therapies...

- include dialectical-behavioral therapy, acceptance and commitment therapy, mindfulness-based stress reduction, and others
- · allow patients to notice unpleasant experiences and accept them without judgment
- · increase sense of control over behaviors and prevent automatic PNES response



Strategies for Support: Cognitive Behavioral Therapy • can help manage underlying depression and anxiety disorders that contribute to PNES • can help identify appropriate responses to emotional triggers, maladaptive thoughts, and avoidance behaviors • has most reliable body of evidence to support its effectiveness EPILEPSY FOUNDATION Strategies for Support: Prolonged Exposure Therapy • appropriate for those with PNES and PTSD (39% of people with PNES) • allows patient to process past trauma in a safe context and learn that avoidance through PNES is not effective imaginal exposure (retelling of memory) and in vivo (confronting trauma-related situations in everyday life) EPILEPSY Strategies for Support: Psychodynamic Therapy Psychodynamic therapies... make patients aware of events or physical/emotional cues that trigger seizures, and encourage verbal expression of these emotions • reduce the unconscious repression of negative emotions that results in seizures EPILEPSY FOUNDATION

Additional Support Services

- · Camp (for students with epilepsy)
- Psychoeducational and Support Groups
- Case Management, CMH, CSHCS
- Play Therapy / Art Therapy
- Educational Supports (IDEA, 504), School social work,
- Behavioral Management, OT, ST, PT
- Health Agencies (Michigan Alliance for Families, EFM, Disability Advocates, A Kid Again, The Arc, 211, etc.)



E-SMART POUNCATION





Inclusion Opportunities

- Talk with student
- No mimicking or posting of person during a seizure
- Intervene consistently
- Educate students, classrooms and school groups (assemblies, fundraisers, etc.)
- Encourage peer support
- Support Abilities Campaign
- Support Special Observance Days (Purple Day for Epilepsy)
- Involve the parents or caregivers





Epilepsy Foundation School Resources

- Seizure Training for School Personnel
- Take Charge Epilepsy Education Series
- Videos on Seizure First Aid, Rescue Therapies, and Seizure Action Plans
- Brochures, videos, pamphlets, fact sheets, posters
- · Available at:
 - epilepsy.com
 - epilepsymichigan.org
 - Youtube (https://www.youtube.com/c/Epilepsy FoundationNational/videos)



Information on...

- · how/when to seek epilepsy specialty
- · diagnosis & prognosis
- · treatment options
- · possible comorbidities
- · self-management
- psychosocial & cognitive impact
- impact on school & employment available resources

Services include:

- Toll-free Here for You Helpline
- · Annual Conferences
- Monthly Learn & Share Conference Calls
 Parent & Young Adult Support Groups
- Individual Advocacy
- Public Policy Advocacy

- Camp Discovery
 Public/Professional Awareness Training
- E-SMART program for teens





Questions?

Case Study if time allows.







